




NTN Bearing Driveshaft do Brasil



22 mm x 39 mm x 23 mm 22 mm x 39 mm x 23 mm INA NKIA59/22 complex bearings

Bearing No. NKIA59/22

NKIA59/22 Bearing 2D drawings and 3D CAD models

Size	22x39x23 mm
Bore Diameter	22 mm
Outer Diameter	39 mm
Width	23 mm
d	22 mm
D	39 mm
B	23 mm
F	28 mm
r_{\min}	0,3 mm
m	118 g / Weight
C_r	26000 N / Dynamic load rating (radial)
C_{0r}	29500 N / Static load rating (radial)
C_a	5300 N / Dynamic load rating (axial)
C_{0a}	8600 N / Static load rating (axial)
C_{ur}	5300 N / Fatigue limit load, radial
C_{ua}	380 N / Fatigue limit load, axial
n_G	16100 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP



NTN Bearing Driveshaft do Brasil

Minimum Buy Quantity	N/A
Weight / Kilogram	0.12
EAN	4012802059564
Product Group	B00234
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Long Description	22MM Bore 1; 22MM Bore 2; 39MM Outside Diameter; 23MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKIA59/22
Weight / LBS	0.26
Outside Diameter	1.535 Inch 39 Millimeter
Bore 1	0.866 Inch 22 Millimeter
Bore 2	0.866 Inch 22 Millimeter



NTN Bearing Driveshaft do Brasil

Overall Height with Aligning Washer	0 Inch 0 Millimeter
Height	0.906 Inch 23 Millimeter